Apple Accessibility Conformance Report

Based on Voluntary Product Accessibility Template® (VPAT®)

Name of Product: macOS Sequoia

Product Description: The operating system for Mac

computers.

Date: September 9, 2024

Contact information: accessibility@apple.com

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criteria without known defects or meets with equivalent facilitation.
- Supports with Exceptions: Some functionality of the product does not meet the criteria.
- **Does Not Support**: Majority of functionality of the product does not meet the criteria.
- **Not Applicable**: The criteria are not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criteria. This can be used only with WCAG 2.0 Level AAA.

WCAG 2.0 Report

Table 1: Conformance Criteria, Level A -

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content: All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in situations listed in WCAG 2.0 1.1.1.	Supports with exceptions	VoiceOver, the screen reader built into macOS, provides audio descriptions for non-text content and images presented to the user. However, some user-generated content images may or may not have text alternatives provided.
1.2.1 Audio-only and Video-only (Prerecorded): For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.	Supports with exceptions	macOS supports playback of video media with closed-captioned audio and video text descriptions when provided in industry standard formats. Third-party developers can provide audio or video text descriptions using the AVFoundation framework.
1.2.2 Captions (Prerecorded): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports with exceptions	macOS supports playback of video media with closed-captioned audio and video text descriptions when provided in industry standard formats. Third-party developers can provide audio or video text descriptions using the AVFoundation framework.

1.2.3 Audio Description or Media Alternative (Prerecorded): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports with exceptions	macOS supports playback of video media with closed-captioned audio and video text descriptions when provided in industry standard formats. Third-party developers can provide audio or video text descriptions using the AVFoundation framework.
1.3.1 Info and Relationships: Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Supports	
1.3.2 Meaningful Sequence: When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supports	
1.3.3 Sensory Characteristics: Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Supports	

1.4.1 Use of Color: Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports with exceptions	macOS uses color to convey information. In many cases, when color is used, it provides an alternative information display that does not rely on color. For example, color controls are used in the title bar of macOS windows that allow a user to close, minimize or maximize a window. While color indicates each control's function, each control also has a unique symbol and position that indicates its function without relying on color information. But, there are some visual elements that do not include an alternative information display.
		macOS also provides system-level control of display characteristics that cannot be overridden by applications, including options to: Switch the display from color to grayscale Use a display color filter or color tint Invert light and dark colors displayed on the screen Differentiate certain elements without color Increase contrast of elements on the screen Reduce the transparency of elements on the screen Dim Flashing Lights to automatically darkens the display of video during sequences of flashing lights Pause Animated Images to pause images with animations and movement, e.g. GIFs, in apps such as Messages and Safari All of these features are accessed through System Settings for Accessibility and can be used together in different combinations to suit the user's needs.
1.4.2 Audio Control: If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	Supports	

2.1.1 Keyboard: All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.	Supports	
2.1.2 No Keyboard Trap: If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.	Supports	
2.1.4 Character Key Shortcuts: If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:	Supports	
 Turn off: A mechanism is available to turn the shortcut off; Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc); 		
Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.		

2.2.1 Timing Adjustable: For each time limit
that is set by the content, at least one of the
instances in WCAG 2.0 2.2.1 is true.

- <u>Turn off</u>: The user is allowed to turn off the time limit before encountering it; or
- Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or
- Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or
- Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or
- Essential Exception: The time limit is essential and extending it would invalidate the activity; or
- <u>20 Hour Exception</u>: The time limit is longer than 20 hours.

Supports with exceptions

There are limited macOS controls over time limits. However, macOS provides an energy saver preference for turning off the display after a range of time including "Never". macOS also allows for a screen saver which can act as a warning that the computer will be put to sleep.

macOS also offers Pause Animated Images, or the option to pause images with animations and movement, e.g. GIFs, in apps such as Messages and Safari to suit viewing comfort.

Please note: the timing of Bluetooth pairing sessions is limited by the Bluetooth specification and Bluetooth devices.

 2.2.2 Pause, Stop, Hide: For moving, blinking, scrolling, or auto-updating information, all of the following are true: Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the autoupdating is part of an activity where it is essential. 2.3.1 Three Flashers or Relew Threehold: 	Supports with exceptions	macOS offers Dim Flashing Lights to enable users who are sensitive to bright flashes of light to watch video content more comfortably; it automatically darkens the display of video during sequences of flashing lights so the user is not exposed to potentially risky content. Further, macOS offers Pause Animated Images, or the option to pause images with animations and movement, e.g. GIFs, in apps such as Messages and Safari to suit viewing comfort. macOS also includes an accessibility setting called Reduce motion. This setting allows users to further disable or reduce additional types of movement. Third-party developers should follow macOS Human Interface Guidelines (HIG) for animation and respect the user's Dim Flashing Lights, Pause Animated Images, and Reduce Motion settings.
2.3.1 Three Flashes or Below Threshold: Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.	Supports	
2.4.1 Bypass Blocks: A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Supports	
2.4.2 Page Titled: Web pages have titles that describe topic or purpose.	Supports	

2.4.3 Focus Order: If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Supports	
2.4.4 Link Purpose (In Context): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supports	
2.5.1 Pointer Gestures: All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.	Supports	
2.5.2 Pointer Cancellation: For functionality that can be operated using a single pointer, at least one of the following is true:	Supports	
 No Down-Event: The down-event of the pointer is not used to execute any part of the function; 		
Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion;		
Up Reversal: The up-event reverses any outcome of the preceding down-event;		
Essential: Completing the function on the down-event is essential.		

2.5.3 Label in Name: For user interface components with labels that include text or images of text, the name contains the text that is presented visually.	Supports
2.5.4 Motion Actuation: Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:	Supports
<u>Supported Interface</u> : The motion is used to operate functionality through an accessibility supported interface;	
Essential: The motion is essential for the function and doing so would invalidate the activity.	
3.1.1 Language of Page: The default human language of each Web page can be programmatically determined.	Supports
3.2.1 On Focus: When any component receives focus, it does not initiate a change of context. (Level A)	Supports
3.2.2 On Input: Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.	Supports
3.3.1 Error Identification: If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supports

3.3.2 Labels or Instructions: Labels or instructions are provided when content requires user input.	Supports
4.1.1 Parsing: In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	Supports
4.1.2 Name, Role, Value: For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.	Supports

Table 2: Conformance Criteria, Level AA -

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live): Captions are provided for all live audio content in synchronized media.	Supports	
1.2.5 Audio Description (Prerecorded): Audio description is provided for all prerecorded video content in synchronized media.	Supports	
1.3.4 Orientation: Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	Supports	
1.3.5 Identify Input Purpose: The purpose of each input field collecting information about the user can be programmatically determined when:	Supports	
The input field serves a purpose identified in the Input Purposes for User Interface Components section; and		
The content is implemented using technologies with support for identifying the expected meaning for form input data.		

1.4.3 Contrast (Minimum): The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:	Supports	
Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;		
Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.		
Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement.		
1.4.4 Resize text: Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.	Supports	
1.4.5 Images of Text: If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:	Supports	
<u>Customizable:</u> The image of text can be visually customized to the user's requirements;		
Essential: A particular presentation of text is essential to the information being conveyed.		

1.4.10 Reflow: Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:	Supports	
Vertical scrolling content at a width equivalent to 320 CSS pixels;		
Horizontal scrolling content at a height equivalent to 256 CSS pixels.		
Except for parts of the content which require two- dimensional layout for usage or meaning.		
1.4.11 Non-text Contrast: The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):	Supports	
User Interface Components: Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author;		
Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.		

1.4.12 Text Spacing: In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:	Supports	
Line height (line spacing) to at least 1.5 times the font size;		
Spacing following paragraphs to at least 2 times the font size;		
Letter spacing (tracking) to at least 0.12 times the font size;		
Word spacing to at least 0.16 times the font size.		
Exception: Human languages and scripts that do not make use of one or more of these text style properties in written text can conform using only the properties that exist for that combination of language and script.		

1.4.13 Content on Hover or Focus: Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true: • Dismissable: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content; • Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;	Supports	
Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.		
Exception: The visual presentation of the additional content is controlled by the user agent and is not modified by the author.		
2.4.5 Multiple Ways: More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.	Supports	
2.4.6 Headings and Labels: Headings and labels describe topic or purpose.	Supports	

2.4.7 Focus Visible: Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.	Supports	
3.1.2 Language of Parts: The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.	Supports with exceptions	The Accessibility API can programmatically determine the languages within text areas on webpages, if the author of the content uses the appropriate language tag.
3.2.3 Consistent Navigation: Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Supports	
3.2.4 Consistent Identification: Components that have the same functionality within a set of Web pages are identified consistently.	Supports	
3.3.3 Error Suggestion: If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.	Supports	

 3.3.4 Error Prevention (Legal, Financial, Data): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: Reversible: Submissions are reversible. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission. 	Supports	
4.1.3 Status Messages: In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.	Supports	

2024 Section 508 Report -

Chapter 3: Functional Performance Criteria -

macOS includes a built-in screen reader called VoiceOver for users who are blind or have low vision and includes accessible applications and utilities. VoiceOver offers deep customization for user needs, including gesture input, Siri integration, and support of many Bluetooth Braille displays. Applications built using the macOS Human Interface Guidelines and the macOS Accessibility APIs will work with VoiceOver.
Information about macOS vision features is available at: https://www.apple.com/accessibility/vision/
macOS includes many features to assist users with low vision, including but not limited to: VoiceOver, VoiceOver cursor zoom, Speak Selection, a scalable mouse cursor, increased contrast with Dark Mode support, and Zoom—a built-in screen magnification feature. Users can customize font size across Mac apps, including Finder, Messages, Mail, Calendar, and Notes, in one place within System Settings, with the option to set a single preferred reading size, or customize app by app.Applications, such as Safari, Pages, Numbers, and Keynote also support increasing font sizes of content up to or over 200%. Information about macOS vision features is available at:

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color. Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Supports with exceptions	macOS uses color to convey information. In many cases, when color is used, it provides an alternative information display that does not rely on color. For example, color controls are used in the title bar of macOS windows that allow a user to close, minimize or maximize a window. While color indicates each control's function, each control also has a unique symbol and position that indicates its function without relying on color information. But, there are some visual elements that do not include an alternative information display. macOS also provides system-level control of display characteristics that cannot be overridden by applications, including options to: Switch the display from color to grayscale Use a display color filter or color tint Invert light and dark colors displayed on the screen Differentiate certain elements without color Increase contrast of elements on the screen Reduce the transparency of elements on the screen Dim Flashing Lights to automatically darkens the display of video during sequences of flashing lights Pause Animated Images to pause images with animations and movement, e.g. GIFs, in apps such as Messages and Safari All of these features are accessed through System Settings for Accessibility and can be used together in different combinations to suit the user's needs.
302.4 Without Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.	Supports	Audio is not required for operation of macOS, however, macOS supports video playback of closed caption content and subtitles (when available). macOS also includes a variety of Accessibility features to assist those who are deaf and hard of hearing, including but not limited to: Live Captions, Flash Screen, Notifications, Siri, Dock Notification, FaceTime, and Braille support. Information about macOS hearing features is available at: https://www.apple.com/accessibility/hearing/

Criteria	Conformance Level	Remarks and Explanations
302.5 With Limited Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.	Supports with exceptions	Audio is not required for operation of macOS, however, macOS supports video playback of closed caption content and subtitles (when available). macOS also includes features to assist those with limited hearing: option to pair with Made for iPhone hearing devices, Live Captions, Mono Audio, and Sound Output. Information about macOS hearing features is available at: https://www.apple.com/accessibility/hearing/
302.6 Without Speech. Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.	Supports	Where speech may be required for input, control, or operation, macOS includes the following Accessibility features: Personal Voice, Live Speech, Type to Siri, Vocal Shortcuts, FaceTime, and Live Captions. New for macOS Sequoia: Vocal Shortcuts helps users with moderate to severe atypical speech trigger actions in macOS. Users can drive voice interactions by creating custom utterances that Siri can understand, such as setting a timer, taking a screenshot, scrolling up and down, and checking the weather forecast. Information about macOS speech features is available at: https://www.apple.com/accessibility/speech/
302.7 With Limited Manipulation. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.	Supports	macOS includes Accessibility features to assist users who do not have fine motor control and can't perform simultaneous actions easily: Voice Control, Dictation, Full Keyboard Access, Switch Control, Head Pointer and alternate pointer controls, and Accessibility Keyboard. Alternate input devices such as trackballs, game controllers, joysticks, keyboard, mice, track pads, graphics tablets and more are also supported. For more information visit https://www.apple.com/shop/mac/mac-accessories Information about macOS mobility features is available at: https://www.apple.com/accessibility/mobility/

Criteria	Conformance Level	Remarks and Explanations
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Supports	macOS includes Accessibility features to assist users with limited physical and motor manipulation: Voice Control, Dictation, Full Keyboard Access, Sticky and Slow Keys, Adjustable keyboard repeat delay, Customizable keyboard commands, Single key Quick Nav, user control speed adjustment, gestures, Switch Control, Head Pointer and alternative pointer controls, and Accessibility Keyboard. Alternate input devices such as trackballs, game controllers, joysticks, keyboard, mice, track pads, graphics tablets and more are also supported. For more information visit https://www.apple.com/shop/mac/mac-accessories Information about macOS mobility features is available at: https://www.apple.com/accessibility/mobility/
302.9 With Limited Language, Cognitive, and Learning Abilities. ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.	Supports	macOS includes Accessibility features to assist users with limited cognitive, language, and learning abilities: Personal Voice, Live Speech, Siri, Speak Screen, Speak Selection, Dictionary, Live Captions, and Apple Intelligence. New for macOS Sequoia: Apple Intelligence can support people with cognitive challenges including: Writing Tools, Priority Messages and Notifications, Reduce Interruptions, Summaries, and Smart Reply. Apple Intelligence will be available in beta on Mac with M1 and later, with Siri and device language set to U.S. English, as a macOS update this fall. Some features and additional languages will be coming over the course of the next year. Information about Apple Intelligence is available at: https://www.apple.com/apple-intelligence/ Information about macOS cognitive features is available at: https://www.apple.com/accessibility/cognitive/

Chapter 4: Hardware -

See VPAT for Mac computers.

Chapter 5: Software -

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG Section
502 Interoperability with Assistive Technology		
502.2.1 User Control of Accessibility Features. Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.	Supports	Accessibility features can be controlled within System Settings for Accessibility or using accessibility shortcuts. Applications can provide additional controls for accessibility features in their preferences.
502.2.2 No Disruption of Accessibility Features. Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	Supports	macOS includes an Accessibility API that enables applications to interact with assistive technologies without disrupting the system or each other. Details of the Accessibility API are available on the Apple Developer website: https://developer.apple.com/accessibility/
502.3 Accessibility Services		
502.3.1 Object Information. The object role, state(s), properties, boundary, name, and description shall be programmatically determinable.	Supports	
502.3.2 Modification of Object Information. States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	

Criteria	Conformance Level	Remarks and Explanations
502.3.3 Row, Column, and Headers. If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.	Supports	
502.3.4 Values. Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.	Supports	
502.3.5 Modification of Values. Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
502.3.6 Label Relationships. Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.	Supports with exceptions	The majority of built-in applications utilize the Accessibility API to form relationships between controls and their labels. VoiceOver conveys this relationship to end users while navigating through the UI. Third-party developers can also form relationships between controls and labels that are programmatically determinable through the Accessibility API. For unlabeled buttons, VoiceOver allows users to assign labels to unlabeled controls, and save them to a file where they can be shared and imported to and from other Mac computers running OS X 10.6 or later.
502.3.7 Hierarchical Relationships. Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.	Supports	
502.3.8 Text. The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.	Supports	

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text. Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
502.3.10 List of Actions. A list of all actions that can be executed on an object shall be programmatically determinable.	Supports with exceptions	The majority of actions that can be executed on a button or object can be determined programmatically. In a few but rare cases, some object actions may not be listed.
502.3.11 Actions on Objects. Applications shall allow assistive technology to programmatically execute available actions on objects.	Supports with exceptions	In a few but rare cases, assistive technologies may not be able to execute all available actions on an object or button.
502.3.12 Focus Cursor. Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.	Supports	
502.3.13 Modification of Focus Cursor. Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Supports	
502.3.14 Event Notification. Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.	Supports	

Criteria	Conformance Level	Remarks and Explanations
502.4 Platform Accessibility Features. Platforms and platform software shall conform to the requirements in ANSI/ HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) (incorporated by reference, see 702.4.1) listed below: A. Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes; B. Section 9.3.4 Provide adjustment of delay before key acceptance; C. Section 9.3.5 Provide adjustment of same-key double-strike acceptance; D. Section 10.6.7 Allow users to choose visual alternative for audio output; E. Section 10.6.8 Synchronize audio equivalents for visual events; F. Section 10.6.9 Provide speech output services; and G. Section 10.7.1 Display any captions provided.	Supports with exceptions	 macOS provides a variety of platform Accessibility features to address the mentioned requirements: Sticky Keys, designed to allow a series of single key presses to be interpreted as a multiple keystroke combination. Sticky Keys is beneficial for people who have difficulty pressing multiple keys simultaneously. Slow Keys, designed to put a delay between when a key is pressed and when it is accepted by the system. Slow Keys is beneficial for people who may press keys accidentally and often. Click key sounds are also available to provide additional feedback when a key is accepted. Adjustable keyboard repeat delay, designed to prevent accidental entry of multiple single keystrokes. The setting is adjustable and can be set to not repeat. Flash screen, designed to provide a visual alternative for audio alerts. VoiceOver, designed to provide speech output services and audio feedback for visual events. Captions provide audio and video text descriptions for video media when provided by the developer. Please note: macOS does not currently provide adjustment of same-key double-strike acceptance.
503 Applications		

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences. Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor.	Supports with exceptions	macOS provides system-level control of display characteristics that cannot be overridden by applications, including options to: • Switch the display from color to grayscale • Use a display color filter or color tint • Invert light and dark colors displayed on the screen • Differentiate certain elements without color • Increase contrast of elements on the screen • Reduce the transparency of elements on the screen All of these features are accessed through System Settings for Accessibility and can be used together in different combinations to suit the user's needs. There are limited per application preferences for configuring appearance and focus. VoiceOver does allow users to set preferences per application; however, these preferences do not include color, contrast, font type, font size, and focus cursor.
503.3 Alternative User Interfaces. Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.	Not Applicable	
503.4 User Controls for Captions and Audio Description.		

Criteria	Conformance Level	Remarks and Explanations
503.4.1 Caption Controls. Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.	Supports with exceptions	macOS supports playback of video media with closed-captioned audio and video text descriptions when provided in industry standard formats. The default media player, provided in conjunction with the AVFoundation framework, contains a control for the selection of captions alongside volume adjustment. This is also true of the QuickTime and Music media players, as well as the default WebKit media player. Third-party developers can also implement custom media players, where they may choose whether or not to support the selection of captions. Live Captions - can turn audio into text in real-time. They are available for your phone and FaceTime calls, and any media content across apps such as Messages, Podcasts, Safari and third-party applications. Users can use Live Captions to follow along in-person conversations. FaceTime video calls include speaker attribution so users can keep up with all the details of who said what in a lively call with family and friends. Available in English (US and Canada).
503.4.2 Audio Description Controls. Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.	Supports with exceptions	macOS supports playback of video media with closed-captioned audio and video text descriptions when provided in industry standard formats. The default media player, provided in conjunction with the AVFoundation framework, contains a control for the selection of captions alongside volume adjustment. This is also true of the QuickTime and Music media players, as well as the default WebKit media player. Third-party developers can also implement custom media players, where they may choose whether or not to support the selection of captions.
504 Authoring Tools		

Criteria	Conformance Level	Remarks and Explanations
504.2 Content Creation or Editing. Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility.	Supports with exceptions	macOS comes with productivity applications, including Pages, Keynote, and Numbers, that allow for creation of content that conforms to the Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion. Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.	Supports with exceptions	Not all authoring tools support preservation of accessibility information when converting content or saving in multiple formats.
504.2.2 PDF Export. Authoring tools capable of exporting PDF files that conform to ISO 32000-1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289-1:2016 (PDF/UA-1) (incorporated by reference, see 702.3.1).	Does not support	

Criteria	Conformance Level	Remarks and Explanations
504.3 Prompts. Authoring tools shall provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool.	Does not support	
504.4 Templates. Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool.	Does not support	

Chapter 6: Support Documentation and Services -

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope		
602 Support Documentation		

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features. Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.	Supports	Product documentation is available online in an accessible HTML format through: Apple Support at https://www.apple.com/support Mac new release page at https://www.apple.com/mac/ Accessibility product page at https://www.apple.com/mac/ VPATs for Apple products are available at https://support.apple.com/accessibility/vpat .
602.3 Electronic Support Documentation. Documentation in electronic format, including Webbased self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	See WCAG 2.0 section	The electronic web-based product documentation for macOS conforms to both Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0.
602.4 Alternate Formats for Non-Electronic Support Documentation. Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Supports	Product documentation is available in embossed braille via third party provider.
603 Support Services		

Criteria	Conformance Level	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features. ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Supports	Apple Support provides advisors with information on accessibility and compatibility features for macOS. This information is also documented in the product documentation.
603.3 Accommodation of Communication Needs. Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.	Supports	Support via the Internet is available through the Apple Knowledge base at http://www.apple.com/support . For additional information on the many service and support options offered by Apple visit www.apple.com/support . support.

Legal Disclaimer:

Some features described in this document are not available in all areas, may be subject to additional fees or payments, and may be dependent on your cellular carrier network policies and wireless service plan, including, for example, 5G, LTE and FaceTime over cellular.

Mac includes macOS Sequoia, charging cable. Other accessories or products mentioned in this document (e.g., assistive devices, styluses, hearing aids, adapters, hearing aids, and so on) are sold separately by Apple and/or third parties.

Apple does not promise that the information provided in this document will be error-free, or that any errors will be corrected, or that your use of the information will provide specific results. THE DOCUMENT AND ITS CONTENT ARE DELIVERED ON AN "AS-IS" BASIS. ALL INFORMATION PROVIDED IS SUBJECT TO CHANGE WITHOUT NOTICE. APPLE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF ACCURACY, NON-INFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE.